

Fig.1




Fig.2





Fig.3



[illegible]

PROTOCOL CHANNEL MESSAGES

| | | | | | | | | | | | | | | | |
|------|----|----------|------|---------------|-----|----|----|----|----|----|---|-----|---|---|---|
| 30 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | 14 | 12 | 10 | 8 | 6 | 4 | 2 | 0 |
| OP | I | RESERVED | NXT | SRC DEST PORT | COS | J | S | E | CR | P | O | LEN | | | |
| CODE | P | P | CELL | | | | | | | | | | | | |
| | X | | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | |
|----------|----|------------------|----|----|----|----|----|----|----|----|---|---|---|---|---|
| 30 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | 14 | 12 | 10 | 8 | 6 | 4 | 2 | 0 |
| RESERVED | | BC/MC PORTBITMAP | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | |
|----|-----|--|----|----|----|----|----|----|----|----|---|---|---|---|---|
| 30 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | 14 | 12 | 10 | 8 | 6 | 4 | 2 | 0 |
| U | RES | UNTAGGED PORTBITMAP/SRC PORT NUMBER (BIT0...5) | | | | | | | | | | | | | |

| | | | | | | | | | | | | | | | |
|--------------|----|----|----|----|----|----|----|----|----|------------|---|---|---|---|---|
| 30 | 28 | 26 | 24 | 22 | 20 | 18 | 16 | 14 | 12 | 10 | 8 | 6 | 4 | 2 | 0 |
| CPU OP CODES | | | | | | | | | | TIME STAMP | | | | | |

Fig. 6




Fig. 7





Fig. 8






FIG 9




Figure 10




FIG 11




Figure 12




FIG. 13